



<p style="text-align: center;"><b>INFORMATION DISCLOSURE CITATION</b></p> <p style="text-align: center;">PTO-1449</p>	<p>ATTORNEY'S DKT NO. 032266-004</p>	<p>APPLICATION NO.</p>
	<p>APPLICANT Von Schaewen, Antje</p>	
	<p>FILING DATE Herewith</p>	<p>GROUP</p>

CKW	Deblaere, R., et al. "Efficient octopine Ti plasmid-derived vectors for <i>Agrobacterium</i> mediated gene transfer to plants." <i>Nucl Acids Res.</i> 13: 4777-4788 (1985).
	Dennis, J.W., et al. " $\beta \rightarrow 6$ branching of Asn-linked oligosaccharides is directly associated with metastasis." <i>Science</i> 236: 582-585 (1987).
	Faske, M, et al. "Transgenic tobacco plants expressing pea chloroplast <i>Nmdh</i> cDNA in sense and antisense orientation: Effects on NADP-MDH level, stability of transformants, and plant growth." <i>Plant Physiol.</i> 115: 705-715 (1997).
	Faye, L., et al. "Apparent inhibition of $\beta$ fructosidase secretion by tunicamycin may be explained by breakdown of the unglycosylated protein during secretion." <i>Plant Physiol</i> 89: 845-851 (1989).
	Fukuda, M.N. "HEMPAS disease: genetic defect of glycosylation." <i>Glycobiology</i> 1: 9-15 (1990).
	Fukuda, M.N., et al. "Incomplete synthesis of N-glycans in congenital dyserythropoetic anemia type II caused by a defect in the gene encoding $\alpha$ -mannosidase II." <i>Proc Natl Acad Sci USA</i> 87: 7443-7447 (1990)
	Gomez, L, et al. "Complementation of an <i>Arabidopsis thaliana</i> mutant that lacks complex asparagine-linked glycans with the human cDNA encoding -acetylglucosaminyltransferase I." <i>Proc. Natl. Acad. Sci. USA.</i> 91: 1829-1833 (1994).
	Graeve, K., et al. "Purification, characterization and cDNA sequence of glucose-6-phosphate dehydrogenase from potato ( <i>Solanum tuberosum</i> L.)." <i>Plant J.</i> 5: 353-361 (1994).
	Harlow, E., et al. <u>Antibodies: A Laboratory Manual</u> , Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY (1988).
	Hildmann, T., et al. "General roles of abscisic and jasmonic acids in gene activation as a result of mechanical wounding." <i>Plant Cell</i> 4: 1157-1170 (1992).
	Höfgen, R., et al. "Storage of competent cells for <i>Agrobacterium</i> transformation." <i>Nucl Acids Res.</i> 16: 9877 (1988)
	Höfte, H., et al. "The protein-body proteins phytohemagglutinin and tonoplast intrinsic protein are targeted to vacuoles in leaves of transgenic tobacco." <i>Planta.</i> 184: 431-437 (1991).
	Johnson, K.D., et al. "Substrate specificities of N-acetylglucosaminyl-, fucosyl-, and xylosyltransferases that modify glycoproteins in the Golgi apparatus of bean cotyledons." <i>Plant Physiol.</i> 84: 1301-1308 (1987).
	Kaushal, GP, et al.. "Structure and biosynthesis of plant N-linked glycans." J Preiss, Ed. <u>The Biochemistry of Plants</u> , Vol 14: Carbohydrates. Academic Press, San Diego, CA, (1988) pp 421-463.
	Koes, K., et al. "Targeted gene inactivation in petunia by PCR-based selection of transposon insertion mutants." <i>Proc Acad Sci USA</i> 92: 8149-8153 (1995).
	Kornfeld, R., et al. "Assembly of asparagine-linked oligosaccharides." <i>Annu Rev Biochem</i> 54: 631-664 (1985).
	Kumar, R., et al. "Cloning and expression of N -acetylglucosaminyltransferase I, the medial Golgi transferase that initiates complex N-linked carbohydrate formation." <i>Proc Natl Acad Sci USA</i> 87: 9948-9952 (1990).
CKW	Laurière, M., et al. "Characterization of a xylose-specific antiserum that reacts with the complex asparagine-linked glycans of extracellular and vacuolar glycoproteins." <i>Plant Physiol.</i> 90: 1182-1188 (1989).

<b>INFORMATION DISCLOSURE CITATION</b>  <b>PTO-1449</b>	ATTORNEY'S DKT NO. 032266-004	APPLICATION NO.
	APPLICANT Von Schaewen, Antje	
	FILING DATE Herewith	GROUP

CJK	Ma, JK-C, et al. "Plant antibodies for immunotherapy." <i>Plant Physiol.</i> 109: 341-346 (1995)
	McKinney, E.C., et al. "Sequence-based identification of T-DNA insertion mutations in <i>Arabidopsis</i> : actin mutants <i>act2-1</i> and <i>act4-1</i> ." <i>Plant J.</i> 8: 613-622 (1995).
	Moffat, AS. "Medical applications: Exploring transgenic plants as a new vaccine source." <i>Science</i> 268: 658-660 (1995) (summary of two original publications in the same issue)
	Olden, K., et al. "Function of glycoprotein glycans." <i>Trends Biochem Sci</i> 10: 78-82 (1985)
	Puchta, H., et al. "From centiMorgans to base pairs: homologous recombination in plants." <i>Plant Sci.</i> 1: 340-348 (1996).
	Rademacher, T.W., et al. "Glycobiology." <i>Annu Rev Biochem</i> 57: 785-838 (1988)
	Rocha-Sosa, M., et al. "Both developmental and metabolic signals activate the promoter of a class I patatin gene." <i>EMBO J.</i> 8: 23-29 (1989).
	Sambrook, J., et al. <u>Molecular cloning: a laboratory manual</u> (2nd edn), Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1989).
	Schmidt, T.G.M., et al. "The random peptide library assisted engineering of a C-terminal affinity peptide, useful for the detection and purification. of a functional Ig Fv fragment." <i>Prot Engineering.</i> 6: 109-122 (1993).
	Sorge, J., et al. "Molecular cloning and nucleotide sequence of human cerebrosidase cDNA." <i>Proc Natl Acad Sci USA.</i> 82: 7289-7293 (1985).
	Stanley, P. "Chinese hamster ovary cell mutants with multiple glycosylation defects for production of glycoproteins with minimal carbohydrate heterogeneity." <i>Mol Cell Biol</i> 9:377-383 (1989)
	Sturm, A., et al. "Subcellular localization of glycosidases and glycosyltransferases involved in the processing of N-linked oligosaccharides." <i>Plant Physiol.</i> 85: 741-745 (1987)
	Sturm, A. "Heterogeneity of the complex N-linked oligosaccharides at specific glycosylation sites of 2 secreted carrot glycoproteins." <i>Eur J Biochem</i> 199: 169-179 (1991).
	Taylor, CB. "Comprehending cosuppression." <i>Plant Cell</i> 9: 1245-1249 (1997)(summary of several original publications in the same issue)
	Van der Wilden, M., et al. "The endoplasmic reticulum of mung bean cotyledons: role in the accumulation of hydrolases in protein bodies during seedling growth." <i>Plant Physiol.</i> 66: 390-394 (1980)
	Voelker, T., et al. "Differences in expression between two seed lectin alleles obtained from normal and lectin-deficient beans are maintained in transgenic tobacco." <i>EMBO J.</i> 6: 3571-3577 (1987)
	Von Schaewen, A., et al. "Expression of a yeast-derived invertase in the cell wall of tobacco and <i>Arabidopsis</i> plants leads to accumulation of carbohydrate, inhibition of photosynthesis and strongly influences growth and phenotype of transgenic tobacco plants." <i>EMBO J.</i> 9: 3033-3044 (1990).
CJK	Von Schaewen, A., et al. "Isolation of a mutant <i>Arabidopsis</i> plant that lacks N-acetyl glucosaminyl transferase I and is unable to synthesize Golgi-modified complex N-linked glycans." <i>Plant Physiol.</i> 102: 1109-1118 (1993).
EXAMINER	DATE CONSIDERED 2-1-06

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**SHEET 1 OF 3**

( 1 1/00)

DUPLICATE

SHEET 2 OF 3

<p>INFORMATION DISCLOSURE CITATION</p> <p>PTO-1449</p>	<p>ATTORNEY'S DKT NO. 032266-004</p>	<p>APPLICATION NO.</p>
	<p>APPLICANT Von Schaewen, Antje</p>	
	<p>FILING DATE Herewith</p>	<p>GROUP</p>

	Deblaere, R., et al. "Efficient octopine Ti plasmid-derived vectors for <i>Agrobacterium</i> mediated gene transfer to plants." <i>Nucl Acids Res.</i> 13: 4777-4788 (1985).
	Dennis, J.W., et al. " $\beta \rightarrow 6$ branching of Asn-linked oligosaccharides is directly associated with metastasis." <i>Science</i> 236: 582-585 (1987).
	Faske, M., et al. "Transgenic tobacco plants expressing pea chloroplast <i>Nmdh</i> cDNA in sense and antisense orientation: Effects on NADP-MDH level, stability of transformants, and plant growth." <i>Plant Physiol.</i> 115: 705-715 (1997).
	Faye, L., et al. "Apparent inhibition of $\beta$ fructosidase secretion by tunicamycin may be explained by breakdown of the unglycosylated protein during secretion." <i>Plant Physiol</i> 89: 845-851 (1989).
	Fukuda, M.N. "HEMPAS disease: genetic defect of glycosylation." <i>Glycobiology</i> 1: 9-15 (1990).
	Fukuda, M.N., et al. "Incomplete synthesis of N-glycans in congenital dyserythropoetic anemia type II caused by a defect in the gene encoding $\alpha$ -mannosidase II." <i>Proc Natl Acad Sci USA</i> 87: 7443-7447 (1990).
	Gomez, L., et al. "Complementation of an <i>Arabidopsis thaliana</i> mutant that lacks complex asparagine-linked glycans with the human cDNA encoding -acetylglucosaminyltransferase I." <i>Proc. Natl. Acad. Sci. USA.</i> 91: 1829-1833 (1994).
	Graeve, K., et al. "Purification, characterization and cDNA sequence of glucose-6-phosphate dehydrogenase from potato ( <i>Solanum tuberosum</i> L.)." <i>Plant J.</i> 5: 353-361 (1994).
	Harlow, E., et al. <u>Antibodies: A Laboratory Manual</u> , Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY (1988).
	Hildmann, T., et al. "General roles of abscisic and jasmonic acids in gene activation as a result of mechanical wounding." <i>Plant Cell</i> 4: 1157-1170 (1992).
	Höfgen, R., et al. "Storage of competent cells for <i>Agrobacterium</i> transformation." <i>Nucl Acids Res.</i> 16: 9877 (1988).
	Höfte, H., et al. "The protein-body proteins phytohemagglutinin and tonoplast intrinsic protein are targeted to vacuoles in leaves of transgenic tobacco." <i>Planta.</i> 184: 431-437 (1991).
	Johnson, K.D., et al. "Substrate specificities of N-acetylglucosaminyl-, fucosyl-, and xylosyltransferases that modify glycoproteins in the Golgi apparatus of bean cotyledons." <i>Plant Physiol.</i> 84: 1301-1308 (1987).
	Kaushal, GP, et al.. "Structure and biosynthesis of plant N-linked glycans." J Preiss, Ed. <u>The Biochemistry of Plants</u> , Vol 14: Carbohydrates. Academic Press, San Diego, CA, (1988) pp 421-463.
	Koes, K., et al. "Targeted gene inactivation in petunia by PCR-based selection of transposon insertion mutants." <i>Proc Acad Sci USA</i> 92: 8149-8153 (1995).
	Kornfeld, R., et al. "Assembly of asparagine-linked oligosaccharides." <i>Annu Rev Biochem</i> 54: 631-664 (1985).
	Kumar, R., et al. "Cloning and expression of N -acetylglucosaminyltransferase I, the medial Golgi transferase that initiates complex N-linked carbohydrate formation." <i>Proc Natl Acad Sci USA</i> 87: 9948-9952 (1990).
	Laurière, M., et al. "Characterization of a xylose-specific antiserum that reacts with the complex asparagine-linked glycans of extracellular and vacuolar glycoproteins." <i>Plant Physiol.</i> 90: 1182-1188 (1989).

# DUPLICATE

SHEET 3 OF 3

<b>INFORMATION DISCLOSURE CITATION</b>  PTO-1449	ATTORNEY'S DKT NO. 032266-004	APPLICATION NO.
	APPLICANT Von Schaewen, Antje	
	FILING DATE Herewith	GROUP

	Ma, JK-C, et al. "Plant antibodies for immunotherapy." <i>Plant Physiol.</i> 109: 341-346 (1995)
	McKinney, E.C., et al. "Sequence-based identification of T-DNA insertion mutations in <i>Arabidopsis</i> : actin mutants <i>act2-1</i> and <i>act4-1</i> ." <i>Plant J.</i> 8: 613-622 (1995).
	Moffat, AS. "Medical applications: Exploring transgenic plants as a new vaccine source." <i>Science</i> 268: 658-660 (1995) (summary of two original publications in the same issue)
	Olden, K., et al. "Function of glycoprotein glycans." <i>Trends Biochem Sci</i> 10: 78-82 (1985)
	Puchta, H., et al. "From centiMorgans to base pairs: homologous recombination in plants." <i>Plant Sci.</i> 1: 340-348 (1996).
	Rademacher, T.W., et al. "Glycobiology." <i>Annu Rev Biochem</i> 57: 785-838 (1988)
	Rocha-Sosa, M., et al. "Both developmental and metabolic signals activate the promoter of a class I patatin gene." <i>EMBO J.</i> 8: 23-29 (1989).
	Sambrook, J., et al. <u>Molecular cloning: a laboratory manual</u> (2nd edn), Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1989).
	Schmidt, T.G.M., et al. "The random peptide library assisted engineering of a C-terminal affinity peptide, useful for the detection and purification of a functional Ig Fv fragment." <i>Prot Engineering.</i> 6: 109-122 (1993).
	Sorge, J., et al. "Molecular cloning and nucleotide sequence of human cerebrosidase cDNA." <i>Proc Natl Acad Sci USA.</i> 82: 7289-7293 (1985).
	Stanley, P. "Chinese hamster ovary cell mutants with multiple glycosylation defects for production of glycoproteins with minimal carbohydrate heterogeneity." <i>Mol Cell Biol</i> 9:377-383 (1989)
	Sturm, A., et al. "Subcellular localization of glycosidases and glycosyltransferases involved in the processing of N-linked oligosaccharides." <i>Plant Physiol.</i> 85: 741-745 (1987)
	Sturm, A. "Heterogeneity of the complex N-linked oligosaccharides at specific glycosylation sites of 2 secreted carrot glycoproteins." <i>Eur J Biochem</i> 199: 169-179 (1991).
	Taylor, CB. "Comprehending cosuppression." <i>Plant Cell</i> 9: 1245-1249 (1997)(summary of several original publications in the same issue)
	Van der Wilden, M., et al. "The endoplasmic reticulum of mung bean cotyledons: role in the accumulation of hydrolases in protein bodies during seedling growth." <i>Plant Physiol.</i> 66: 390-394 (1980)
	Voelker, T., et al. "Differences in expression between two seed lectin alleles obtained from normal and lectin-deficient beans are maintained in transgenic tobacco." <i>EMBO J.</i> 6: 3571-3577 (1987)
	Von Schaewen, A., et al. "Expression of a yeast-derived invertase in the cell wall of tobacco and <i>Arabidopsis</i> plants leads to accumulation of carbohydrate, inhibition of photosynthesis and strongly influences growth and phenotype of transgenic tobacco plants." <i>EMBO J.</i> 9: 3033-3044 (1990).
	Von Schaewen, A., et al. "Isolation of a mutant <i>Arabidopsis</i> plant that lacks N-acetyl glucosaminyl transferase I and is unable to synthesize Golgi-modified complex N-linked glycans." <i>Plant Physiol.</i> 102: 1109-1118 (1993).
EXAMINER	DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.